Field Trip to Alice Springs
N.T.

Canberra via Adelaide – Alice Springs

12/9/55 ——

L J Chinnick

Collection No. 69

L. J. Chinnick

14/9 – 12/10/55

Alice Springs area and northern
South Australia

13/9/55 Lowan St. Ch. 1.
No Specimen = 2. 2 Eumast.

Remarks.

Stop 2397 Ch —
No specimens. 3 Acridids

Stop 2398 Ch —
No specimens. 8 Acridids.

Stop 2399. Ch. 2, 3. (morava sp.)
Specimen Nos. — 2. Eumast.
On Triodia irritans?

14/9/55.

Gladstone:- 2366
Pt. Germein turn off at. 2391. Turned left.

Stop. 2397 Undulating hills, with rocky outcrops. Perloccia sp. (j)
mostly lightly timbered. Natural green pasture composed of Danthonia, Stipa, Enneapogon sp together with medic (~~denticulata~~ minima?) and small yellow flowered composite. Tim ber. E. cammaldulensis in gully along creek edge with E. calcicutrix? dominant on slopes. Pt. Germein Pass.
Ch. termini fera nymphs Ptax bulus nymphs.

Stop 2398. Mallee on slopes with Yacka. Some Coatilopus sp. (j) Perloccia sp (j)
Triodia in patches. Hills stoney with Acac. ligulata. E cammald. in creek. Coatilopis sp.

Stop 2399 Steeply sloping hills - very rocky
Morava sp.
Mallee on crest with abundance of Yacka on slope. Triodia and shrubs on lower slopes. Stipa, medicago minima, and helichrysum sp. Morava on Triodia 1 sp. parasitised. larvae apparently fed on leaves on Ch. 3. Eas. stricta and both Acacia + Myoporum sp. on lower slopes bordering creek. E. cammaldulensis on creek bank.

Remarks

Stop 2408. Ch —

No. Specimens 4 Acrididae

Stop 2423 Ch —

No Specimens 2 Acrididae

Stop 2425 Ch 4, 5. (Moraba sp.)

No. Specimens 6 Eumast.

Pt Germein 2407

Stop 2408 Low lying coastal salt pan, covered with Desfontaria sp. samphire and in places areas of A. vesicaria. Pigface and yellow flowered composite (Senecio sp.) scattered throughout. Scattered small trees of ~~Eremophila sp.~~ Myoporum limmata Pearsia sp. in habiting samphire. Nymphs of this sp. very numerous.

2414 Barcoo. 2420 Turned right to 2423.

Stop 2423 Mambrey Creek Reserve. High rocky hills Rusyplia sp., Perloccia sp. (?) on either side of running creek. Creek and valley lined with E. camaldulensis, sides with E. glauca, Pittosteum sp. E. , Eremophila sp. Triodia on crests. with Cas. Pasture mainly M. minima, Cryptastemma, Thistle sp. and Sysembrium. Favored areas some Stipa and Danthonia. Specimens taken from Triodia area on hill crest. The macrotona inhabiting the spinifex, the Praxtulus the inter-tussock vegetation of Cryptastemma and Sysembrium.

Stop 2425 ~~2425~~. Stony hills on either side of creek, timbered Moraba sp. with E glauca and Bursaria spinosa (shrub to 4ft) grassed with various flowering plants dominant being Bulbine. Rhoa and Aristida sp providing main cover. Moraba on Poa. Creek at base of hills with E camaldulensis, Melaluca sp. " Leptospermum sp.

Remarks:

Stop 2441 Ch —
No Specimens 3 Acridids

2465 Stop. ——
No Specimens 2. (1 scarab + 1 Gryllacrid)

Stop 2484 Ch 6, 7, 8, 9, 10
No Specimens. 10 (1 fly + 7 Eumast. + 2 acridids)

Stop 2491 Ch ——
No Specimens 2 acridids

Stop 2502 Ch —

2420 = 2431. Back on main road

2441 Stop. Area of K pyramidata with some Cratilopus sp., Desertaria sp., Cuparessa sp. A vesicaria & spongosa. M minima dominant ground cover. & gracilis as occasional.

Pt Augusta 2461.

2465 Stop. collected at light. 4 miles W. of Pt Augusta. Thence back to hotel Pt. A. at 2469.

15/9/55. Pt. Aug — Quorn.

Pt Augusta 2472

Stop 2484 Low rocky hill with Kochia sedifolia, Cratilopus sp., & Moraba sp. Zygophyllum sp., Cassia, & Acacia victoriae, and Composite, Olearia phylloroides. Ground relatively bare with patches of M. minima, Hordeum leporinum and a spiny fruited Cruciferea. Moraba suspected of living on shrubs. Day windy. ? possibly the K. sedifolia?

24.86 Woolshed Flat

Stop 2491 Relatively cleared crest of hill covered with patches of Triodia. & leucopylon in parkland formation. Rusopolia sp., Peltocera sp. (?) No moraba seen in Triodia tussocks. & gracilis also present.

Quorn 2496. left Quorn 2497. Arden Vale Rd.

Stop 2502. Area of Triodia, on roadside.

Remarks

No. Specimens 7 (1 coleopt. + 6 acridids)

Collected at Train Stops

Boorthanna Stn. Ch—, No Specimens 1 acridid

< Duff Creek. Ch ——

No specimens 3 acridids

= 1 station south of Duff's Ck on Alice Springs line

Edwards Ck. Ch— No. Specimens 9 Acridids

Remarks.

Stop 2559 Ch 11 (10 specimens) Ch 12.

No Specimens. 34 (2 flys + 7 Acridids + 25 Eumast.)

NB. All ♂ Specimens together in a series on the left of the Ch no. refer to that number.

Eumast. Taken from sp. of Cymbapogon.

Chortoicetes terminifera, Nuatacris guttulosa, Craticulopus sp.
soil reddish clay with ground cover of M minima and the spiny-fruited cruciferae. Odd small trees of Acacia present.

2504 turned left to Depot Pit — ?

2505 returned to 2504 = 2506

Quorn 2514: entrained 6.15 pm for Alice Springs.

16/9/55

Cuparessa sp.
Boorthanna Stn 1 ♀ ~~Buforania~~. gibber plain

< Duff Creek 2 ♀ Urnisa + 1 ♀ Ecphantis
Urnisa guttulosa, Ecphantus quadrilobus
sandy clay pan area A. spongiosa A. vesicaria
Calotis sp.

Edwards Creek. Apotropis sp., Urnisa guttulosa,
Cuparessa sp., Stropis maculosa, Pygnostictus seriatus
Arrived Alice Springs 11.15 AM 17/9/55

18/9/55. Stanley Chasm

Alice Springs 2526

Stanley Chasm 2559 In rather narrow
Morava sp., Desertaria sp., Buforania sp.,
gully amongst hills Hills covered with Spinifex
Macrotona sp., Pygnostictus seriatus, Apotropis
at base along creek & papuanna with Cycads
sp., Aulicrfa sp.,
along < reef sides of hill. A species of Cymbapogon
at longer edge of hills — Morava sp. found
here. South side of Stanley Chasm. Walked

Remarks

Stop 2560 Ch ——

No Specimens 21 Acrididae

Stop 2561 Ch 20 (10 sec)

No of Specimens 2 series { (1) 26 (18 Acrididae + 8 Eumast)
(2) 15 Eumast.

→ 41

through chasm - followed defile out to valley amongst hills. Morabs taken here on Cymbopogon n.sp. and Aristida. Form of E. Dumosa, mallee growing here. N^th side chasm

Stop 2560.

Creek plains. E. papuanna and Acacia sp. Buforadia sp., Apotropis sp., Desertaria sp. Digitaria Brownii dominant. Much leaf-litter Eriplantus quadriloluus, Zoniaca spp. (2), Apotropis sp. debris throughout. area partly sandy but for Diolopus tamulus, Azelota sp., Lepus nov. 28, most part covered with water-washed stones. Psycnostictys seriatus, Unnisa guttulosa, Caberopa Pandarea sp. (shrub) also present. area lead up to corallipes stoney spinifex hills but not collected from.

Stop 2561 Rocky outcrop with Eremoph. a Acacia sp. Buforadia sp., Corymbiatus sp., Eriplantus shrubby, sides slightly stoney but giving way quadriloluus, Pdakefia spp. (2), Unnisa guttulosa, to sandy loam on approach to creek area. Morabs Azelota sp., Morabs sp., Apotropis sp. taken here amongst Digitaria Brownii. Trichenium sp. abundant together with Albutilon sp and Enneapogon. Morabs nymphs 2-3 at 3-4 / sq yd. Ch. 20. (10)

Alice Springs at 2591

Remarks.

Stop 2624 Ch 22.

No specimens 2 Series (1) 1 Eumast Ch 22.
(2) 6 acridids + 4 Eumast
→ 11

Stop 2627 Ch. —

No specimens 15 (1 Tettigon. + 10 acridids + 4 Eumast.)

Warramunga on Chloris divaricata.

Warramunga on Chloris divaricata.

Stop 2633 Ch 12 (6 spec)

No specimens. series (1) 5 (2 acridids + 3 Eumast.)

19/9/55 Undoolya Rd.

Alice Springs 2607.

Stop 2624. Sandy plain adjacent to high bluff. Buforania sp.? Desertaria sp.; troggathria australis; Acacia estrophylata (Ironwood) dominant with Sida sp. Brachycome Moraba sp.; and odd clumps of D. Brownii on plain. Face of bluff covered with Triodia (= mitchelli) & Eremophila Trichinium and Enneapogon with yellow composite amongst rocks. Moraba on bluff base on Sida sp - Enneapogon. Ch 22.(1)

Stop 2627 Valley floor between two ranges. Soil sandy loam with Hanenura A. tetragonophylla, Complistaff sp., Plakusia sp., Stropios maculosa, Pycnorhichus arcuatus, Moraba spp. (2) G. Strata, G. sp. (Cork bark) with Erem. Freelingii group at shrub level. Pasture. Brachycombe, Enneapogon as dominant and some Eragrostis sp. A. semibactum dominant on central floor area as periphery of large dense. Chloris divaricata stand. This is at present working as outbreak centre with Ch Terminifera predominantly adults at density of 1-2 / sqr yds. numerous nymphs 4-5th included in density fig. Occasional E. terminalis present throughout Chloris stand. Food shelter habitat approx. 60 acres in extent.

Stop 2633 Creek bed at base of stone ridge. Ridge Moraria sp., Eomiaza sp. covered with Spinifex - Eremoph. sp. E. Terminalis

Remarks

(2) 6 Eumast.
→ 11

Stop 2637 Ch. 23 (3 specimens)
No specimens. 2 series (1) 3 Eumast.
(2) 27 (10 Eumast + 17 acridids)
→ 30
Warramunga from Bassia uniflora.

Stop 2661 Ch 24. (5 specimens).
No specimens 2 series (1) 5 Eumast.
(2) 9 (4 acridids + 5 Eumast.)
Moraba on all sp. of veg. → 14

Stop 2666 Ch. 25 (3 spec).
No. specimens. 2 series (1) 3 Eumast.
(2) 8 (2 acrid. + 1 Phas. + 5 Eumast.)

Troggattina australis, Pycnosticherus senatus, Corythiates sp?, Austracris guttulosa
11 acridids + 14 scarabs = 25

~~Rucuspia~~ sp.
No specimens 4 (2 scarabs + 1 mantid + 1 Tettigon)

in creek bed. Area in creek bed with Chloris divaricata Eulalia fulva and Eriachne obtusa. Warramunga in Chloris etc. stand. Ch. 21. (6)

Stop 2637 Stoney slope leading down to creek where soil changes to sandy loam. Buforania sp., Degeneria sp., Qualetta maculata, P. anura together with Biplebia sp., Atropis sp., Moraba sp., Macrozyzlota E. frelingi group. On sandy soil B. uniflora growing in clumps — Warramunga taken on it. Here also was isolated clumps of Stipa, Brachycome sp. Helichrysum and Erioiapogon. On stoney slope. K. georgi, Trichinium, K. tomentosa, and clumps of Eragrostis. Ch. 23. (3)
Turned back along same tracks at 2637

Stop. 2661 Area of sandy plain with thick Moraba sp., Collitera sp., Troggattina australis, Swainsonia sp. Craspedia sp. and Nicotiniana sp. Tapeota sp.
Moraba's scattered throughout and very numerous Many 2-3rd instars present. Ch 24. (5)

Stop 2666 Ch 25 (3) Sandy plain (small) amongst Moraba sp. (2), Ruscuspia sp., Peaktesia sp. rocky low knobs. Craspedia with old remains of Chloris divaricata. Collected along side of road. Small shrubs. Cassia sp. Eremoph.

2667 Alice Springs

5 mls. S.E. of A. Springs at light. 19/9/55
At. Alice Springs at light 19/9/55

Remarks

20/9/55

Stop 2720 Ch 15, 16.

No. specimens. 36 (3 Eumast. + 33 acridids)

Stop 2721 Ch ——

No specimens 13 (3 acridids + 10 Eumast).

Stop 2721.6 Ch 14. 17. 18. 19. 26. 27. 28.

No specimens. 25 (1 Phas + 7 acridids. + 17 Eumast.)

Stop 2722 Ch 29. 30. 31. 32.

No. specimens. 18 (9 acridids + 9 Eumast.)

20/9/55 Alice Springs – Burts Plain

2628 Alice Spring.

Stop 2720. Creek area, A. aneura with odd Euc. Acacia sp., Bursaria sp., Dodonaea sp., Ermea Terminalis and numerous A. farnesiana shrubs. Main gutulosa, Aristida pustaulatus, Eriphantus quadrilobus, ground cover Psoralia sp. abutilon sp. Sida sp. and Trogaffina australis, Moraba spp., Gonlacoidea sp., patches of Dicanthenum. Senecio Gregorii occurring as occasional. Creek stoney with several channels.

Turned around at 2720 retracing trip back to Alice Springs.

Stop 2721 Plains country – soil tending self-mulching Eriphantus quadrilobus, Moraba spp. (2), Eremo pasture sparse, Brachycome nov. 6 (?) sp, Calotis hispidula, K brachyptera and odd clumps of Erogrostis eriopodia. Warramunga confined to Erogrostis. Moraba to other pasture.

Stop 2721.6 Flat area with mosaic scalds. Tried Ermea gutulosa, Eriphantus quadrilobus, with A aneura Dodonea sp. G. striata and Hakea. Aristida spp. (2), Bursaria sp., Moraba spp. (2) Pasture patchy composed, D. coenolensis, Enneapogon, A. milleri, Salsola sp. Calotis hispidula and occasional clumps of Astrebla. A tall Aristida sp scattered throughout.

Stop 2722 Heavy country with A aneura and Bursaria spp., Bassia sp., Macroloplia sp. (8), Eremophila sp Kempii. Kochia sp K Georgii with Chloris Psycnothrix seriatus, Trogaffina australis, aculeata sp. as dominants. Mixed herbs – Calotis Moraba spp. (3) hispidula, Centipeda sp. together with Themida sp.

Remarks.

Stop 2727 Ch 13.
No specimens 5 (4 acridids + 1 Eumast).

21/9/55.

Stop 2762 See page 10 Top left hand page.

Enneapogon oblongata. + Senecio sp. making up remainder of pasture in the better watered depressions.

Stop 2727 A. aneura country on flat ord soil Psycnosticlus scriatus, Dysdercus sp., Comphiotes sp., Thoraba sp. plain with numerous trees dead. A. tetragonaphylla and Accacia sp to height of 3ft as understratum. Area considerably bare with Eragrostis sedifolia in clumps. Under trees, Brachycombe sp and some Chloris sp to limit of tree crowns.

Alice Springs 2752

21/9/55. Alice Springs — Mt. Gillen

Alice Springs. 2758

Stop 2762. Lower slopes and valley floor of hills Thaerydota cervina, Bufonaphila sp., Scaptanteus adjacent to Mt. Gillard. Fine pebbly plains with quadrilobus, Psycnosticlus scriatus, Peakeria sp., Scattered Euc. terminalis A. tetragonaphylla and A. Dysdercus sp., Thoraba spp. (2), Genus nov. 6 (?), Thaerydota Kempiana. Small creeks bordered with Dicanthium sp., Troggattina australis, Genus nov. 5 (?) sp and Aristida clumps, some Themida + Solanum sp. also present. Ground flora comprising Calotis hispidula Enneapogon polyphullis, Atriplex muelleri Calocephalus Dittrichii Aristida arenaria, Sida sp. + Atriplex melanocarpum. Bassia sp. Helipterum floribunda. Brachyscome sp taken from pebbly soils. Under tree shade grass tussocks present + they don't extended further than shade area cast,

Remarks

Stop 2762 Ch. 34, 32, 35, 36, 37, 38.
Specimens No. — 85 (1 fly + 56 tumast. + 28 acrididae)

3 (1 mantid + 2 scarabs) + 2 (1 acridid + 1 scarab)
22/9/55 Rusumpia sp.

Stop 2807 Ch —
No specimens 26 (1 Phas. + 3 tumast. + 22 acrididae)

Stop 2823 Ch. 39, 40, 41
No specimens 19 (7 tumast. + 12 acrididae)

Stop 2828 Ch —
No specimens 26 (3 tumast. + 23 acrididae)

Near Nooaba present. Wurramunga confined mainly to banks along rock area.

Alice Springs 2767
Alice Springs at light 21/9/55
22/9/55 Alice Springs — Heavitree Bluff

Alice Springs 2767

Stop 2823 Ch. 39, 40, 41

Stop 2828 Ch —

Kermadec

23/9/55

Stop 2855 Ch — 42. 43 44. 45. 46. 47. 48.
No specimens 35 (3 acrididae + 2 Eumast)
2 series (2) 9 Eumast.

Stop 2863 Ch. 49. 50. 51. 52.
No specimens 2 series (1). 12 (8 acrididae + 4 Eumast)
(2) 4 Eumast.

Stop 2867 Ch —
No specimens 21 (1 fly + 20 acrididae)

Stop 2869 Ch —
No specimens 20 (5 Eumast + 15 acrididae)

Stop 2879 Ch —
No specimens 17 (7 acrididae + 10 Eumast.)

Stop 2880 Ch 54. 55.
No specimens 8 (1 acrolid + 1 Gryllacrid + 6 Eumast)

Stop 2898 Ch 53.
No specimens 10 (1 Phas + 7 acrididae + 2 Eumast.)

23/9/55

2854 Hwaewaka Point

Stop 2862 Sweeping with Net — Salsola, Arundo, Cyperus, Carex, Poa, Lolium, Rumex, Senecio, Cirsium, Cut over grass. Eucalyptus [illegible] from Arundo clump

Stop 2863 Sweeping [illegible] Arundo, Cyperus, Carex, Poa, Lolium, Rumex, Senecio, Cirsium, Cut over grass. Eucalyptus [illegible] from Arundo clump

Stop 2867 [illegible] Arundo, Cyperus, Carex, Poa, Lolium, Rumex, Senecio, Cirsium, Cut over grass. Eucalyptus [illegible] from Arundo clump

Stop 2869 [illegible] Arundo, Cyperus, Carex, Poa, Lolium, Rumex, Senecio, Cirsium, Cut over grass. Eucalyptus [illegible] from Arundo clump

Stop 2879 [illegible] Arundo, Cyperus, Carex, Poa, Lolium, Rumex, Senecio, Cirsium, Cut over grass. Eucalyptus [illegible] from Arundo clump

Stop 2880 Eucalyptus [illegible] on shingle [illegible]

Stop 2898 Euc [illegible] on shingle [illegible]

Remarks

Stop 2913 Ch —
No specimens 8 (2 Eumast. + 6 acrediens)

24/9/55

Stop 2930 Ch —
No specimens 15 Acrediens

Left C.P.F. with Nemoura. Ent. [illegible] in Nemoura Valley looking to Mount Cook. Collected on Rocks under Nemoura — many Caddis from Scrub Hills on north fringe of Mt Darwell Range.

Stop 2913 Small stony [illegible] on [illegible] to Lagoon Valley [illegible] Mt Darwell [illegible]. Hill with Cassinia Leptospermum broad platitude Nemoura, Collected [illegible] on the Nemoura. Height [illegible] 12-1500 ft.

2930 Comfort

27/9/55 Mount Bluff - Deckenora Valley

Stop 2930 Rocky [illegible] [illegible] [illegible]

Remarks.

Stop 2943 · Ch —
No specimens 4 annelids

Stop 2952 Ch —
No specimens 22 annelids

Stop 2953A Ch —
No specimens 8 (3 annelids + 5 Cumacea)

Stop 2953 B Ch —
No specimens 10 (6 annelids + 1 fly + 3 Cumacea)

Stop 2965 Ch —
No specimens 6 (1 moth + 5 annelids)

Return along same track 2745-2920 m
Rhine to Dartmouth Cook.

Stop 2943 Sandy bottom with Ampharetidae sp. Maldanidae sp. Terebellidae sp. (2), Nephtys sp. (2), Nereidae sp. (2), Glycera sp., Onuphis sp., Lumbrineris sp., Scalibregma sp., Polychaeta indet. (3), Tanaidacea sp., Isopoda sp., Amphipoda sp. (2), Cumacea sp. (2), Ophiuroidea sp., Echinoidea sp., Holothuroidea sp., Nematoda sp.

Stop 2952 A. tubicola pellet bottom with Nonionidae sp., Rhabdammina sp., Leptocaris sp., Pseudobradya sp., Nematoda sp., Nephtys sp. (2), Nereidae sp. (2), Glycera sp., Onuphis sp., Lumbrineris sp., Scalibregma sp., Maldanidae sp., Terebellidae sp. (2), Ampharetidae sp., Polychaeta indet. (3), Tanaidacea sp., Isopoda sp., Amphipoda sp. (2), Cumacea sp. (2), Ophiuroidea sp., Echinoidea sp., Holothuroidea sp., Nematoda sp. Sandy bottom with Nonionidae sp., Rhabdammina sp., Leptocaris sp., Pseudobradya sp., Nematoda sp., Nephtys sp. (2), Nereidae sp. (2), Glycera sp., Onuphis sp., Lumbrineris sp., Scalibregma sp., Maldanidae sp., Terebellidae sp. (2), Ampharetidae sp., Polychaeta indet. (3), Tanaidacea sp., Isopoda sp., Amphipoda sp. (2), Cumacea sp. (2), Ophiuroidea sp., Echinoidea sp., Holothuroidea sp., Nematoda sp. Sandy bottom with Nonionidae sp., Rhabdammina sp., Leptocaris sp., Pseudobradya sp., Nematoda sp., Nephtys sp. (2), Nereidae sp. (2), Glycera sp., Onuphis sp., Lumbrineris sp., Scalibregma sp., Maldanidae sp., Terebellidae sp. (2), Ampharetidae sp., Polychaeta indet. (3), Tanaidacea sp., Isopoda sp., Amphipoda sp. (2), Cumacea sp. (2), Ophiuroidea sp., Echinoidea sp., Holothuroidea sp., Nematoda sp.

Stop 2953A Nonionidae sp., Rhabdammina sp., Leptocaris sp., Pseudobradya sp., Nematoda sp., Nephtys sp. (2), Nereidae sp. (2), Glycera sp., Onuphis sp., Lumbrineris sp., Scalibregma sp., Maldanidae sp., Terebellidae sp. (2), Ampharetidae sp., Polychaeta indet. (3), Tanaidacea sp., Isopoda sp., Amphipoda sp. (2), Cumacea sp. (2), Ophiuroidea sp., Echinoidea sp., Holothuroidea sp., Nematoda sp.

Stop 2953B Nonionidae sp., Rhabdammina sp., Leptocaris sp., Pseudobradya sp., Nematoda sp., Nephtys sp. (2), Nereidae sp. (2), Glycera sp., Onuphis sp., Lumbrineris sp., Scalibregma sp., Maldanidae sp., Terebellidae sp. (2), Ampharetidae sp., Polychaeta indet. (3), Tanaidacea sp., Isopoda sp., Amphipoda sp. (2), Cumacea sp. (2), Ophiuroidea sp., Echinoidea sp., Holothuroidea sp., Nematoda sp.

Stop 2965 Nonionidae sp., Rhabdammina sp., Leptocaris sp., Pseudobradya sp., Nematoda sp., Nephtys sp. (2), Nereidae sp. (2), Glycera sp., Onuphis sp., Lumbrineris sp., Scalibregma sp., Maldanidae sp., Terebellidae sp. (2), Ampharetidae sp., Polychaeta indet. (3), Tanaidacea sp., Isopoda sp., Amphipoda sp. (2), Cumacea sp. (2), Ophiuroidea sp., Echinoidea sp., Holothuroidea sp., Nematoda sp.

Return along same track 2745-2920 m
Rhine to Dartmouth Cook.

Stop 2943 Sandy bottom with Ampharetidae sp. Maldanidae sp. Terebellidae sp. (2), Nephtys sp. (2), Nereidae sp. (2), Glycera sp., Onuphis sp., Lumbrineris sp., Scalibregma sp., Polychaeta indet. (3), Tanaidacea sp., Isopoda sp., Amphipoda sp. (2), Cumacea sp. (2), Ophiuroidea sp., Echinoidea sp., Holothuroidea sp., Nematoda sp.

Stop 2952 A. tubicola pellet bottom with Nonionidae sp., Rhabdammina sp., Leptocaris sp., Pseudobradya sp., Nematoda sp., Nephtys sp. (2), Nereidae sp. (2), Glycera sp., Onuphis sp., Lumbrineris sp., Scalibregma sp., Maldanidae sp., Terebellidae sp. (2), Ampharetidae sp., Polychaeta indet. (3), Tanaidacea sp., Isopoda sp., Amphipoda sp. (2), Cumacea sp. (2), Ophiuroidea sp., Echinoidea sp., Holothuroidea sp., Nematoda sp. Sandy bottom with Nonionidae sp., Rhabdammina sp., Leptocaris sp., Pseudobradya sp., Nematoda sp., Nephtys sp. (2), Nereidae sp. (2), Glycera sp., Onuphis sp., Lumbrineris sp., Scalibregma sp., Maldanidae sp., Terebellidae sp. (2), Ampharetidae sp., Polychaeta indet. (3), Tanaidacea sp., Isopoda sp., Amphipoda sp. (2), Cumacea sp. (2), Ophiuroidea sp., Echinoidea sp., Holothuroidea sp., Nematoda sp. Sandy bottom with Nonionidae sp., Rhabdammina sp., Leptocaris sp., Pseudobradya sp., Nematoda sp., Nephtys sp. (2), Nereidae sp. (2), Glycera sp., Onuphis sp., Lumbrineris sp., Scalibregma sp., Maldanidae sp., Terebellidae sp. (2), Ampharetidae sp., Polychaeta indet. (3), Tanaidacea sp., Isopoda sp., Amphipoda sp. (2), Cumacea sp. (2), Ophiuroidea sp., Echinoidea sp., Holothuroidea sp., Nematoda sp.

Stop 2953A Nonionidae sp., Rhabdammina sp., Leptocaris sp., Pseudobradya sp., Nematoda sp., Nephtys sp. (2), Nereidae sp. (2), Glycera sp., Onuphis sp., Lumbrineris sp., Scalibregma sp., Maldanidae sp., Terebellidae sp. (2), Ampharetidae sp., Polychaeta indet. (3), Tanaidacea sp., Isopoda sp., Amphipoda sp. (2), Cumacea sp. (2), Ophiuroidea sp., Echinoidea sp., Holothuroidea sp., Nematoda sp.

Stop 2953B Nonionidae sp., Rhabdammina sp., Leptocaris sp., Pseudobradya sp., Nematoda sp., Nephtys sp. (2), Nereidae sp. (2), Glycera sp., Onuphis sp., Lumbrineris sp., Scalibregma sp., Maldanidae sp., Terebellidae sp. (2), Ampharetidae sp., Polychaeta indet. (3), Tanaidacea sp., Isopoda sp., Amphipoda sp. (2), Cumacea sp. (2), Ophiuroidea sp., Echinoidea sp., Holothuroidea sp., Nematoda sp.

Stop 2965 Nonionidae sp., Rhabdammina sp., Leptocaris sp., Pseudobradya sp., Nematoda sp., Nephtys sp. (2), Nereidae sp. (2), Glycera sp., Onuphis sp., Lumbrineris sp., Scalibregma sp., Maldanidae sp., Terebellidae sp. (2), Ampharetidae sp., Polychaeta indet. (3), Tanaidacea sp., Isopoda sp., Amphipoda sp. (2), Cumacea sp. (2), Ophiuroidea sp., Echinoidea sp., Holothuroidea sp., Nematoda sp.

Remarks

Stop 2975 Ch —

No specimens 14 (3 scarabs + 7 Eumast + 2 acrididae + 2 Tettigon).

Stop 2983 Ch —

No specimens 2 sieves (1) 4 (1 acridid + 3 Tettigon) Box 2
(2) 7 (3 acridid + 4 Eumast) Box 3.

Stop 3002 Ch —

[illegible] with [illegible] Tettigon with [illegible] [illegible] [illegible] to [illegible] with some Eugenia + small Persoonia shrub. Ground fairly [illegible] [illegible] Eucalyptus obtusiflora (1 Hyp[illegible]), [illegible] (Grass) similar to Byng. shelving to Deep. [illegible] [illegible] of rocks quite numerous.

Comp[ass] 297[illegible] Duchesnea creek. Scarabs. Tetting to comp[ass] light.

25/9/55 Duchesnea Ck to Hamilton Downs

2975 Stop On bank of Duchesnea creek [illegible] Eucalyptus [illegible] Grass [illegible] [illegible] [illegible]

Remarks

No. specimens 7 (6 acridids + 1 Eumast)

Stop 3012 Ch —

No. specimens 3 acridids.

Stop 3018 Ch —

No. specimens 3 acridids

Stop 3025 Ch —

No. specimens 11 (2 phasmids + 8 [illegible])

Stop 3045.

No specimens at light 84 (3 mantids + 1 phasmid + 1 tettigon. + 9 acridids + 70 scarabs)
31 (1 Eumast. + 1 tettigon. + 32 acrid.)
Total 118

Description of Big Lake Tableland [illegible]
heavy red soil. Small patches of Triodia
pungens clumps in areas of Eucalypt and Acacia
latzfeldiana. Eremophila [illegible] as ground cover,
together with a Hemichroa sp. Austrosaccharis runcinata
Ch. termitophora present as tall multi-stemmed
Acacia shrubs can amongst the Triodia.
(afternoon).

Stop 3012 Flat Triodia plain, Odd Grevillea
found [illegible] Hyd. 12 ft. But termite mounds
[illegible] small Eremaea + Calytrix sp.
Nil soil turned left Tanami Track. Mt. Chappel Bore

Stop 3018 Plateau plain. Heavy red soil Triodia
pungens Eremophila sp. Acacia sp. Hemichroa sp.
with red soil odd shrubs like Hakea and
Eremophila sp. Mud dried in by. Pastures nearly
[illegible].

Stop 3025 Spinifex sand plain Triodia basedowii
[illegible] sp. Hakea sp. Melaleuca spp. (2), Warramunga
[illegible] Eremophila sp. Eremophila
sp., Hakea sp. Melaleuca sp. Acacia sp.
Acacia not extensive and confined to sandy
beds & areas.

3026 Turned right. 3033 Turned right

Joined road to 3045. [illegible] Spinifex sp.
[illegible] Triodia pungens [illegible]
3045 (all through) [illegible] Triodia pungens [illegible] 23/9/55
[illegible] Triodia pungens [illegible]
3045 at light night 23/9/55
Nietria circlas sp., Spinigona gracilis, Cryptophora sp., Heteropoda
sp., Genus nov. 69, Froggatlina australis, Pycnostictus [illegible]

Remarks

Stop 3046-48. Ch. ——

No. specimens 67 (3 Phasmids + 4 Eumast. + 30 acridids)

Stop 3050 Ch. 56, 57, 58.

No. specimens 22. (6 Eumast + 1 fly + 1 scarab + 14 acridids)

Stop 3055 Ch. ——

No. specimens 19 (1 fly + 18 acridids)

3066 Ch ~~59~~, 60, 61, 62, 63, 64, 65

No. specimens. at light 27 (1 Tettigon. + 1 Gyllacridid + 23 scarabs + 2 acridids).

32 (14 Eumast. + 18 acridids)

Total 59

21/9/55 LRRS. Camp. Area Hamilton Downs

Returned along track into LRRS camp. Forward. Tarmac track. Left at 2045.

Stop 3046-48 Stony Tundra Baccharis plain with [illegible] Eumast. [illegible] Camp.

Stop 3050 Mulga scrub patch with Eremophila [illegible] Eumast. [illegible] Camp.

Stop 3055 Mulga scrub with [illegible] Triodia pungens [illegible] Returned to 3066:- LRRS Camp.

Ecolog. Notes at camp site. Flat sandy plain with Triodia [illegible] scattered [illegible] Grass sp. as dominants. [illegible]

Remarks

Stop 3100 Tr. 66, 67, 68, 69, 91.

No. specimens 21 (6 Eumast + 2 phas. + 1 mant. + 12 acanthids)

Stop 3135 Ch. 70.

No. specimens 12 (3 Eumast + 9 acanthids)

Stop 3137 Ch ——

No. specimens 17 (8 Eumast. + 9 acanthids)

Stop 3162 Ch ~~——~~ 72, 73.

No. specimens 29 (8 Eumast + 19 Acanthids)

27/9/53 Camp: ARS – Alice Springs

Left camp 2066, Turned South 300°

At Chaffel Bore 2092 – 2017. continued towards Alice Springs

Stop 3100 Edge of Creek lined with Eucs complete with Eucalyptus sp. (2), Acacia sp. (2), Acacia sp. (3), Acacia sp. (4), Acacia sp. (5), Acacia sp. (6), Acacia sp. (7), Acacia sp. (8), Acacia sp. (9), Acacia sp. (10), Acacia sp. (11), Acacia sp. (12), Acacia sp. (13), Acacia sp. (14), Acacia sp.

Remarks.

Stop Mt Gillen Cl. ——
No. Specimens 32 (3 Format + 1 previously)

Stop 3237 Cl. Jn. Ts N. Yy. Tp
No. Specimens 49 (16 Formact + 1 Phas + 32 acridids)

Stop 3238 St. ——
No. Specimens 11 acridids

28/9/55 Mt Gillen Alice Springs

Collected from slopes with open Eucalypt woodland. Ranging down to lower edges grassy plains. Ranging down to lower edges grassy plains. Keeping to Triodia mallee with open bare Mulga. Low shrubby flora, low rain with Acacia and Eremophila sp. Acacia sp. with Cassia Hamiltoniana under the acacias on lower sandy areas. Tarbinia rhinotmema and Austrotata latifolia resting on exposed rocks.

24/9/55 Trip South following Railway line Alice Springs 3216.

Stop 3237 Small hill low ridges - very rocky with Eucalyptus sp. in open parkland formation together with odd Acacia sp. Growing in knolls or groups but widely scattered were Pesopulia sp., Parasetum sp., Morabe sp., Eupsilia sp., Segnia sp. Odontocleis sp. Odontocleis sp. part shade of Eucalyptus. Ground over a mixture of Triodia pungens + Basedowii. Adenopus sp. from small mats of Cassia. Numerous nymphs of this species.

Stop 3238. Low stony rises. Acacia sp. Acacia sp. with Triodia pungens. Some rocks on the flat top with Eucalyptus at base and under Acacia sp. Rising out of red sandhill steppes country.

Remarks.

Stop 3240. Ch ———

No specimens 5 examples

Stop 3244. SR ———

No specimens 19 (7 Eunot + 12 examples

Stop 3251 Ch ———

No specimens 16 (13 Eunot + 3 examples)

Stop 3240 Small hill with Eunotia pectinalis var. minor, Eunotia with abnormal shapes and two raphe valves.

Turned around at this point and returned towards Alice Springs

Stop 3244. A. ambigua on sandy loam with mixture of both Frustulia pangaea and Eunotia, Detus Dedeana sp and Eunotia (Pseudofrustulia) Americana sp.

Stop 3251 A. ambigua on sandy flats most dead. Cover sparse, Navicula, Frustulia spp Gida sp. together with numerous examples of comfervoids.

Alice Springs 3264.

Remarks.

Stop 3321. 6L. ——

No. specimens 5 (1 Eumast. + 4 acrididae)

Stop 3375 6L. ——

No. specimens 13 (2 Eumast. + 11 acrididae)

Stop 3380. 6L 92.

No. specimens 16 (5 Eumast. + 5 scarabs + 6 acrididae)

Stop 3381 Ch 94, 95, 96.

No. specimens 16 (5 Eumast. + 1 Tettigon. + 1 fly + 9 acrididae)

30/9/55 Alice Springs — Hart's Range

Left Alice Springs 3275 Stuart Hwy

3315 Turned right. Hart's Range Rd.

Stop 3321 Valley south with Acacia

with A. salicifolia and aneilema Eremophila

sp. E. Duttonia Eremophila

Solanum sp. Acacia sp. with A. Aneilema stands

under low conifers

Stop 3375 Outcrop rocky area (not more than

with A. Kempe as low canopy Soil laterite

gravel with Eremophila and Acacia

Brownii

Stop 3380. Laterite and stony plains H. arenarium

Atalaya Eremophila A. Kempe and Cassia sp.

Hakea Salsola and Calotis cuneifolia

Camped 3380 Callitris pine ridges north Atalaya

1/10/55

Stop 3381 Rocky hills outer fringes of Mt Riddock

complex sp. with Salsola Sp. Solanum

sp. and both Eremophila and Cassia sp.

Calotis Callitris pine ridges

Camped Stop 3.

Remarks.

Stn 3393 bk. 79, 80, 81, 82.

No specimens 23 (1 Echigon. + 21 Eunot. + 1 corroded)

Stn 3403 bk ——

No. specimens 19 (7 Eunot + 1 Echigon + 11 corroded)

Stn 3405 bk ——

No specimens 32 (20 Eunot + 12 corroded)

Stn 3406 bk ——

No specimens 6 (4 Eunot + 2 corroded)

Stn 3421 bk 86, 87, 88, 89, 90, 91.

No specimens 10 (11 Eunot + 1 Synedra + 1 corroded)

Mt Ruddock H.S. 3387

Stn 3393 Sandy clay with R. Eutropiphila and P. Konfa. Pinnularia spare, shells of Mollusca sp. Cocconeis sp. Cymbella diminuta and Surirella sp. Navicula or Pinnularia = Stauroneis sp.

Stn 3403 Mount Kinnaird Depot.

Greenish to khaki coloured putty mixed with white pebbles and [illegible] Navicula sp. Cymbella sp. Gomphonema sp. Epithemia sp. Rhopalodia sp. Nitzschia sp. Surirella sp. Stauroneis sp. Pinnularia sp. Cocconeis sp. Synedra sp. Amphora sp. Melosira sp. Eunotia sp. Fragilaria sp. Achnanthes sp. Gyrosigma sp. Diploneis sp. Caloneis sp. Navicula sp. (10 species) and quartz with shrubby plants and roots [illegible] the diatoms.

Stn 3406 [illegible] with abundant fossil diatoms Epithemia sp. Nitzschia sp. Rhopalodia sp. Navicula sp. Cocconeis

Remarks.

Stat 3443 dd. —
No specimens. 13 (7 Cumacea + Isopoda)

Stat 3444 dd —
No specimens. 5 (iffy + Isopoda)

Stat 3457 dd —
No specimens 8 (4 Cumacea + Isopoda + Isopoda)

Stat 3460 dd. 03. 04. 05
No specimens 14 Cumacea.

Solenda sp. Small Isopod with Eye

2/10/05 Left on same ground back to Plate
Stn 30 Stat 3443

Stat 3443 Net up to bottom over ship's
to Stn 30 mud (Cumacea, Isopoda) Copepoda
with Cumacea, Isopoda, Copepoda. Solenda
sp. Isopoda sp. and Isopoda number not
examined.

Stat 3444 Catch very small with Eye
Cumacea, Isopoda Small Copepoda with
Thomisia antennata, Solenda sp. and some
Eyes and Specimens.

Stat 3457 [illegible] Nebalia,
[illegible] sp. [illegible]
[illegible] Solenda sp. Diastylis
[illegible] Isopoda sp. Diastylis sp.
[illegible]

Stat 3460 [illegible]

Remarks:

Stof. 3445 Ek ——
No. specimens 17 (1 Ennet + 16 ovendids)

Stof. 3505 Ek ——
No. specimens 7 (1 fly + 6 ovendids)

Stof. 3535 Ek 93-mm
No. specimens 6 (1 fly + 2 Ennet + 3 ovendids)

Stof. 3533 Ek ——
No. specimens 10 Ennet.

Stof. 3534 Ek ——
No. specimens 4 ovendids

Stof. 3465 [illegible] Other ovid.

3478 Mus's Kamp Dfot
3445 " " Fuldvik N.S.

Stof. 3505 [illegible]

Stof. 3525 [illegible]

Stof. 3533 [illegible]

Stof. 3534 [illegible]

Remarks

Stof 3548 Ek —
No specimens 2 accidents

Stof 3551 Ek —
No specimens 7 (1 tumast + bacvicles)

Stof 3552 Ek —
No specimens 11 (1 tumast + 10 accidents)

Stof 3559 Ek —
No specimens 32 (1 fly + 6 tumast + 25 accidents)

Limbus 3553

3/10/55 Continuing route back to Stof 3552

Stof 3552 Remains of A. Longicornis and Pontoporeia Glacier recovered on gently sloping gravel to coarse Calcite bedded sandy Pontoporeia with Mytilus fragments

Stof 3550 Remains of Pontoporeia, Mytilus, Limnaea, Amphipods and fish remains, also a complete and large Limnaea forming the specific feature here.

Stof 3552 Remains recovered Pontoporeia, Limnaea, Mytilus fragments, Amphipods and fish remains, also a complete and large Limnaea forming the specific feature here. Calcite fish — the rocky bed gravel with Mytilus fragments. Coarse Calcite bedded sandy Pontoporeia on gravel bed.

Stof 3559 Remains recovered Pontoporeia, Limnaea, Mytilus fragments, Amphipods and fish remains, also a complete and large Limnaea forming the specific feature here. Calcite fish — the rocky bed gravel with Mytilus fragments. Coarse Calcite bedded sandy Pontoporeia on gravel bed.

Remarks

Stop 3561 LL —
No specimens 5 (2 Limnaea + 3 Ancylus)

Stop 3563 LL —
No specimens 7 (3 Limnaea + 1 Gillia + 3 Ancylus)

Stop 3564-1 LL —
No specimens 7 (1 Hip + 1 Limnaea + 5 Ancylus)

35

Remarks from stops with Fossils in
Manuscript.

Stop 3561 Open [illegible] with [illegible]
Brook, [illegible] with [illegible] from [illegible]
badly [illegible] with [illegible] [illegible]
Ancylus and Limnaea. Further [illegible] and continued
downstream by [illegible] with Brown [illegible]
and Ancylus [illegible] widely scattered.

Stop 3563 [illegible] [illegible]
with [illegible] Fossils, Fossils [illegible] [illegible]
with [illegible] [illegible], some Hippurites
[illegible] and Limestone with Ancylus.

Mem Pub. 3570
3595 turned right. Hamilton Downs [illegible]

Stop 3596.5 Some slopes of Range. Numerous
[illegible] [illegible] [illegible]
[illegible] [illegible] Ground cover [illegible]. [illegible]
[illegible] up onto Plateau with Fossils
returned to main road.
3598 = 3595.

Mem Spring 3610

Remarks.

No specimens 11 (2 Eumast. + 9 acrid.)

Stop 3653 Lk —

No specimens 37 (1 Eumast. + 36 acrid.)

Stop 3702 Lk —

No specimens 19 (1 Hy + 18 acrid.)

Stop 3704 Lk —

No specimens 6 acrid.

7/10/55

Mt. Umdaleya Rd. some Eucalypt
as at Stop 2661 of 19/9/55.

Left Mtn Springs 3636 along Hermansburg Rd

Stop 3653 Rocky granite hills on Mt Gillen plateau and Finke valley with stands Eucalyptus at base. Typical Eucalypt of whole hill with M. Kempeana as dominant. Acacias and Eucalypts form a good mixed open forest mainly to gullies.

Returned to Mtn Springs

8/10/55 Mtn Springs – Santa Teresa

Mtn Springs 3677

Stop 3702 Edge of laterite range Mainly Eucalypt forest with Eucalyptus [illegible] Trees about [illegible] Dandy area of Mapara Hills Flowering Eucalypts.

Stop 3704 Malga plain. Open parkland

Remarks.

Stat 3711 BK ——

No. specimens 7 Count.

Stat 3717 CK ——

No. specimens Many broken

formation with Halogeton and Shrubs of Tetra
complete and in Complete of just numerous
Remains of young sugar. evident. Pasture
has suffered Tectorum also fairly common
Eriogonum with patches of both Eriogonum
latifolia and Arabis Drummondii.

Stat 3711 Floor of valley between 2 mesas of
upon [illegible] covered with Shrubs
bunch Eriogonum with some Salsola of and
Eriogonum Drummondii. Shrubs numerous.

Alt 3713 Ground about and contains Earth
& Pebbles

Stat 3717 Steep Slope Mesa side with
Poa, Aristida, Stipa, Eriogonum latifolia with
occasional Halogeton. Pasture Plan and not
much as usual result of Tectorum abundance,
some Salsola and Halo. Hamulosa.

Alt. Stream 3749

Stef 3795 Eh, 99 ♀ ♀
No of specimens 23 (1 Emmet + 0 juveniles)

Stef 3816 Eh ——
No of specimens 29 (2 Emmet + 27 juveniles)

Stef 3822 Eh ——
No of specimens 35 (1 Mon. + 3 Emmet + 31 juveniles)

Stef 3864 Eh ——
No of specimens 7 (juveniles)

Stef 3795 [illegible]

Stef 3816 [illegible]

Stef 3822 [illegible]

Stef 3864 [illegible]

Kimoche.

Stn. 3873 Ll —

No. specimens 2 (1 accidental + 1 Emmaus)

Stn. 3897 Ll 102, 103

No. specimens 16 (10 Emmaus + 6 accidentals)

Stn. 3914 Ll —

No. specimens 7 (3 Emmaus + 4 accidentals)

Stn. 3919 Ll —

No. specimens 11 (3 Emmaus + 8 accidentals)

Stn. 2893 Sandy plain [illegible] with [illegible] Kempanov [illegible] Flamingo and Ibis [illegible]

Stn. 2909 [illegible] Ancura [illegible] Kempanov [illegible] Ground cover [illegible]

Camp first

8/10/35

Stn. 3914 [illegible] several small Pistias

Stn. 3919 Sandy plain with Accacia ancura [illegible] Kempanov in approx equal proportions with Cenchrus sp as occasional. Ground cover of Enneapogon, Eragrostis aeriopoda, Sida [illegible] Calotis hespidula, Trichinium elymoides, Helipt. floribunda and bracteatum, with Kochia [illegible]

Remarks.

Stn 3927 Kk ——
No specimens 2 (2 Foraminifera)

Stn 3925 Kk ——
No specimens 21 (1 Lycopodium + 2 mosses + 1 Equisetum + 13 unidentified)

Stn 3967 Kk 97.98
No specimens 21 (2 Equisetum + 1 Lycopodium + Unidentified)

Stn 3992 Kk ——
No specimens 10 (1 Selaginella + 1 Lycopodium + 8 unidentified)

to 2'6" south throughout.

Stn 3923 Sandy clay, grey at Bottom with mixed ground cover of Rubus fruticosus, Pteridium aquilinum, and Erodium cygnorum with Rhagodia nutans under rocky base.

Stn 3925 Rocky outcrop with [illegible] Equisetum [illegible] Lycopodium [illegible] Eucalyptus [illegible] Eucalyptus [illegible] Equisetum

Remarks.

Stof 4003 Bk — No specimens [illegible]

Stof 4017 Bk —

No specimens 15 (1 Iffy + 2 Bucal + 12 Remarks)

Stof 4034 Bk —

No specimens 21 (3 mart + 16 Hig + 2 Spine + 1 Remarks + 2 Remarks)

Stof 4058 Bk —

No specimens 3 Remarks

Stof 4064 Bk —

No specimens 1 Remarks

Agaricus Group?

4003 ~~Lepiota Group?~~ 1 Genus ?

Stof 4017 Low mat of stipes, little collection made on undulating slope which with small gaps under shrubs & trees. Pasture practically rich some parasitya, Kochia Group and Salsola hispidula growing profusely around butts of trees.

Stof 4034 [illegible] A. Tetrag. [illegible], with also two Psalliota spec in poorly. Agaricus Group with Pleurotus. Pleurotus + Tetrag. form Agaricus Group. Pleurotus A. nidulans

Compost

9/10/33

Stof 4058 Agaricus Group [illegible] Many stipes [illegible] with Coprin [illegible] [illegible] Stof 4064 Undulating stony ripe with patches [illegible] Agaricus (stipes) with [illegible]

Remarks

Stop 4077 El. —
No. specimens 2 ammonites

Stop 4080 El. 10m
No. specimens 6 (4 Gomphoceras + 2 ammonites)

Stop 4087 El. —
No. specimens 20 ammonites

Stop 4122 El. —
No. specimens 1 ammonite

Fossils are common throughout the area. Some beds are mostly shell-hash formed of fragments of ammonites.

Stop 4077 Silty limestone with some [illegible] fossils, mainly ammonites. Some are [illegible].

Stop 4080 Silty limestone in beds and nodules around 30cm thick. Nodules contain abundant fossils, mainly [illegible] shells. Some are [illegible]. Fossils [illegible] are mainly [illegible].

Stop 4087 Nodular [illegible] limestone [illegible] beds around 30cm thick. Some beds are packed with [illegible] shells, mainly [illegible]. Fossils are [illegible] and [illegible] are common. Some [illegible] are [illegible].

4092 Wellman Hill N.S.

4115 South West Wall

Stop 4122 Large area of [illegible] dipping [illegible] flat tops. Remains of [illegible] shells. Gritty [illegible] and [illegible] silty [illegible] are common. Some [illegible] are [illegible] [illegible].

Remarks

Stn. 1164 Lk. —
No. specimens 2 (1 Cumacea + 1 Amphipod)

Stn. 1171 Lk. —
No. specimens 21 (5 Cumacea + 1 Tanaid + 15 Amphipoda)

Stn. 1185 Lk. —
No. specimens 8 Amphipoda.

Stn. 1164 Lk. —
No. specimens 2 (1 Cumacea + 1 Amphipod)

Stn. 1171 Lk. —
No. specimens 21 (5 Cumacea + 1 Tanaid + 15 Amphipoda)

Stn. 1185 Lk. —
No. specimens 8 Amphipoda.

Remarks

Stop #195 Ll —
No. specimens 11 (Stalag + Cement + Pozzolana)

Stop #209 Ll —
No. specimens 1 cored.

Stop #210 Ll — No specimens Pozzolana

Stop #218 Ll —
No specimens 7 (cemented)

Stop #241 Ll —
No specimens 17 cemented

Stop #193 Ll —

Remarks

Stof 4264 Ek —
No specimens Excreta

Stof 4272 Ek —
No specimens Excreta

Stof 4287 Ek —
No specimens Excreta

4315 Ek — No specimens 10 (Excreta + Dermis)

Stof 4325 Ek —
No specimens Excreta

Stof 4264.

Stof 4272

Stof 4287 Swedish army [illegible]

Sample 4315 Specimens [illegible]

11/10/55

4329

Stof 4325

Remarks

Stop #344 Bk —
No specimens Formation

Stop #366 Bk —
No specimens Impossible

Stop #401 Bk —
No. specimens 2 Z samples

Stop #505 Bk —
No. specimens 5 samples

Mt. Elgon #341 H.S.
Stop #342 R

Mt. Elgon #364 H.S.
Stop #366 Gibber plain – red black [illegible] loose
[illegible] with shallow depressions
[illegible] Austroicetes interioris, Caprinula
[illegible] Eremophila Bassia invariabilis
[illegible] Eremophila shrub to 2½'
with odd Panicum + Astrebla pectinata.

#354 Mt. Elgon H.S.
Stop #401 R. convicta K. sedifolia K. triploa
[illegible] Eremophila
tall Acacia [illegible], as areas under the
R. convicta. Bands of Acacia Psoralea on footing
on K. triploa.

Kingsmyre #425
Stop #505 Camp site – 8E Llano. [illegible]
[illegible]

Remarks.

Stop. 4623 Ch —

Nt. abundant 22 (15 Fennel + 1 plot + bracken

Stop 4597 Rosa canina ssp. fo 4602.
Collabra, Azelota, Urnicia, Ch. tomentosa Eu-Lam
(Hebr. t. 6a) Corylifolia, Umbellata

At 4603. Bank Ch. tomentosa mostly ssp.
from 2 ft. to 11 ft. Hedge side

4609 Hesso.

4623 At meadow with Rosa [illegible]
[illegible] and Bassia ssp. [illegible]

Et Augusta 4641.

c/- C.S.I.R.O.
L.R.R.S.
Alice Springs N.T.
30/9/55

Dear Ken,

Sorry I have been unable to answer your telegram sooner but have just returned from a trip with the others lasting five days. Firstly to keep you in contact with the collecting I will give you the itinery so far completed, then that contemplated.

Our trip was straight through and non-collective until we reached Gladstone S.A. From here on, we started to make several stops but the acridid position was not very good as most things were in the young nymphal stage.

Progress Trip as follows as from Gladstone S.A

1/ Gladstone via Germein Pass, Pt. Germein, Lower Alligator Gorge — Pt. Augusta. Mileage records a stops for this section 2397 — 2465

2/ Pt. Augusta to Quorn + beyond Quorn a few miles. 2484 — 2502.

3/ Quorn — Alice Springs. A few specimens were taken at stopping points along the line. — Boorthanna. < Duff Creek, Edwards Creek.

4/ Alice Springs (2526) — Standly Chasm. 2559 — 2561.

5/ Alice Springs (2607) — beyond Mt Undoolya — 2624 — 2666.

6/ Alice Springs (2688) — Burts Plain (nth. along Hwy). 2720 — 2727.

7/ Mt. Gillen 2762.

K.H.K.

8/ Alice Springs (2776) — Haasts Bluff via Hermannsburg — 2807 — 2929.

9/ Haasts Bluff — Mt Chappel Bore via Narweitooma 2929 — 3017.

10/ Mt. Chappel Bore — LRRS. camp on Hamilton Downs thence return to Alice Springs ——— 3017 — 3172.

11/ Mt. Gillen.

12/ Trip Alice Springs (3216) south following railway line to point 24mls. south — 3237 ——— 3251.

That itinery covers what areas have been traversed so far. Today we leave for Harts Range to the NE of Alice Springs for a few days arriving back here on Oct 3rd. doing several short trips out then leave south on the 7th for return trip ~~of~~ on the way back to Canberra. I am coming as far south as Kingoonya where I will pick up the Trans-Continental for Adelaide and fly back to Canberra. Arriving back on the 14th or 15th.

Collecting to Date.

The rocky hills and peaks have to my mind been quite dissappointing and very little of interest has been taken from these areas. Mt Gillen in particular yielded very little. Spinifex areas have been by far the best, a good variety has been got and Warramunga's have been plentiful.

132

On the plains where annuals have formed the dominant ground cover Moraba's have been numerous although predominantly one species. So far have not had time to check through what has been taken so far but hazard a guess at approximately 6 species of Moraba's. Callitala have been very elusive and so far have not been able to find their relative associated shrub or plant sp. although I think I have taken 2 sp. represented collectively by 4-5 specimens.

Warramunga's have been taken from spinifex, Bassia complex and tussocky Chloris areas, the Spinifex group probably differing from those of the other 2 habitats.

For the rest except for some interesting brachypterous specimens and Macrotona-related genera have been much as expected. The macrotona's have yielded groups allied to those taken by John Calaby in the NW. of W.A. One in particular a jet black one represented in the collection by 4-5 specimens.

Keyacris was taken at Hamilton Downs on a Verbenaceous plant. Dicrastylis. I managed to get a series of approx 7-8 ♂♂ & the same ♀s. Also present on the same plant was a Genus related to Happarana that you took in March, attracted to lights, but in this case they are all brachypterous.

That covers roughly things of interest to date. I have 3 1/4 boxes filled so far. I may not need the extra box sent for but thought it best ~~—~~ to have it on hand in case needed,

especially if the trip south is fruit ful.

Had bother with the killing bottles. On arrival here all had sweated horribly - as a result you will probably find setting etc in portion of box I a bit rough and that specimens in some instance have discolored somewhat - are powder encrusted. I found that specimens taken out from the sweating bottles set firmly within a few minutes - their position couldn't be changed at all. Made up new bottle - this has been overcome.

Have made about 75 ~~Tubes~~ Tube dissections so far for Michael. Several of these are represented by 10 or so dissections to one tube where I felt satisfied the sp were the same, so ~~prob~~ probably there is material for 100 slides. I will forward this material on in a few days time together with another 2 store boxes.

Concerning the Trangie trip I feel that after the trip here I would like a break of a week in Canberra if possible. Am not certain whether you are going up for longer than a few days or not, but if it can be possibly delayed would like to stay home till the 21st.

Thank Janis for his note, and should see you soon.

Regards.

Lew